SHEET 1 OF 5

		511LE1 <u>1 01 3</u>
INFORMATION DISCLOSURE OF ECITATION IN AN APPLICATION	ATTY. DOCKET NO. <b>066785-0017</b>	SERIAL NO. 10/813,856
	APPLICANT  Douglas A. Lappi et al.	
PTO-1449)	FILING DATE March 30, 2004	GROUP 1631

			ι	J.S. PATEN	T DOCUMENTS				
EXAMINER'S INITIALS	CITE NO.	1	ocument Number per-Kind Code2 (# known)	Publication Date MM-DD-YYYY		icant of Cited			Lines, Where s or Relevant opear
	1. 1	US	5,191,067	03-02-1993	Lappi et al.				
	2.	US	5,679,637	10-21-1997	Lappi et al.	-			
				FOREIGN PA	TENT DOCUMENTS			_	
EXAMINER'S INITIALS	CITE NO.	1	gn Patent Document y Codes -Number 4 -Kind Codes (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Column Where Rele Figures Ap	evant	Tra Yes	nslation No
	<del> </del>	<u> </u>							<u>-</u>
					or, Title, Date, Pertinent Pages, E				
EXAMINER'S INITIALS	CITE NO.		serial, symposium, cat		S), title of the article (when appro ge(s), volume-issue number(s), p				l,
	3.	ABBADIE et al., "Inflammation increases the distribution of dorsal horn neurons that internalize the neurokinin-1 receptor in response to noxious and non-noxious stimulation," J. Neurosci. 17:8049-8060 (1997).							
	4.				receptor-stimulated rele				
100000000000000000000000000000000000000	000000000000000000000000000000000000000		um is mediated i macol. Exp. The		ctivation of striatal neur I-1151.	okinim <sub>1</sub> rece	ptors,"	<del></del>	000000000000000000000000000000000000000
	5.		ANTON et al., "Development of a biotinylated analog of substance P for use as a receptor probe," Laboratory Investigation 64:703-708 (1991).						
	6.	BOEHMER et al,. "High levels of mRNA coding for substance P, somatostatin and alpha-tubulin are expressed by rat and rabbit dorsal root ganglia neurons," <u>Peptides</u> 10:1179-1194 (1989).							
	7.		C et al., "Neurog 1722-1725 (1996		ation of immune comple	ex inflammat	tion," <u>S</u>	<u>cience</u>	
	8.				imaging of intact isolat :808-814 (1989).	ed islets of	Langer	hans with	
		EXAM	MINER		<del> </del>	DATE CONSIDE	RED		

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

			SHEET 4	<u> </u>
, CITA	TION DISCLOSURE ATION IN AN PLICATION	ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856	
		APPLICANT  Douglas A. Lappi et al.		
(1	PTO-1449)	FILING DATE March 30, 2004	GROUP 1631	
9.	BRIMIJOIN et al., "Axonal transpo the guinea pig," <u>Brain Research</u> 1	91:443-457 (1980).		
10.	BROWN et al., "Morphological chaimmunoreactive neurons in the ra			
11.	BUECHLER et al., "Synthesis and characterization of a homogeneous chemical conjugate between basic fibroblast growth factor and saporin." <u>Eur. J. Biochem.</u> 234(3):706-713 (1995).			
12.	CHAPMAN and DICKENSON, "The potent neurokinin 1 antagonist on Neurosci. Lett. 157:149-152 (1993)	nociceptive transmission in the		
13.	13. DE KONICK et al., "Substance P-mediated slow excitatory postsynaptic potential elicited in dorsal horn neurons in vivo by noxious stimulation," <a href="Proc. Natl. Acad. Sci.USA">Proc. Natl. Acad. Sci.USA</a> 88:11344-11348 (1991).			
14.	4. DEL FIACCO et al., "GAP-43 persists in adulthood and coexists with SP and CGRP in human trigeminal sensory neurons," NeuroReport 5:2349-2352 (1994).			
15.				
16.	DOUGHERTY et al., "Combined application of excitatory amino acids and substance P produced long-lasting changes in responses of primate spinothalamic tract neurons,"  Brain Res. Rev. 18:227-246 (1993).			
17.	17. DOUGHERTY et al., "Enhancement of spinothalamic neuron responses to chemical and mechanical stimuli following combined micro-iontophoretic application of N-methyl-D-aspartic acid and substance P," Pain 47:85-93 (1991).			

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

in cutaneous hyperalgesia," Pain 32:77-88 (1988).

122:191-194 (1991).

252 (1975). **EXAMINER** 

21

22.

DUGGAN et al., "Sustained isometric contraction of skeletal muscle results in release of immunoreactive neurokinins in the spinal cord of the anaesthetized cat," Neurosci. Lett.

GILCHRIST et al., "Enhanced withdrawal responses to heat and mechanical stimuli

GRADY et al., "Delineation of the endocytotic pathway of substance P and its seven-

GUZMAN et al.. "Effect of substance P on acetylcholine and dopamine release in the

HARGREAVES et al., "A new and sensitive method for measuring thermal nociception

HOKFELT et al., "Experimental immunohistochemical studies on the localization and distribution of substance P in cat primary sensory neurons," Brain Research 100:235-

DATE CONSIDERED

following intraplantar injection of capsaicin in rats," Pain 67:179-188 (1996).

transmembrane domain NK1 receptor," Mol. Biol. Cell 6:509-524 (1995).

rat striatum: a microdialysis study," Brain Research 622:147-154.

<sup>1</sup> Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

EFS-Web Receipt date: 10/31/2007

10813856 - GAU: 1631

SHEET <u>3</u> OF <u>5</u>

INFORMATION DISCLOSURE CITATION IN AN APPLICATION	ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856
	APPLICANT Douglas A. Lappi et al	
(PTO-1449)	FILING DATE March 30, 2004	GROUP 1631

╙		
Γ		UMPEL, "Intranigral injection of selective neurokinin-1 and neurokinin-3 but not
		eurokinin-2 receptor agonists biphasically modulate striatal dopamine metabolism but ot striatal preprotachykinin-A mRNA in the rat," Neurosci. Lett. 157:223-226.
		ESSELL and IVERSEN, "Opiate analgesics inhibit substance P release from rat igeminal nucleus," Nature 268:549-551 (1977).
	in	AR et al., "Altered calcitonin gene-related peptide, substance P and enkephalin nmunoreactivities and receptor binding sites in the dorsal spinal cord of the olyarthritic rat," <u>Eur J. Neurosci.</u> 6:345-354 (1994).
		IM and CHUNG, "An experimental model for peripheral neuropathy produced by egmental spinal nerve ligation in the rat," Pain 50:355-363 (1992).
		AMBERT et al., "Purified immunotoxins that are reactive with human lymphoid cells," Biol. Chem. 260:12035-12041 (1985).
		APPI et al., "Biological and chemical Characterization of basic FGF-saporin mitotoxin." iochem. Biophys. Res Commun. 160(2):917-923 (1989).
	p	APPI et al., "Characterization of a Saponaria officinalis seed ribosome-inactivating rotein: immunoreactivity and sequence homologies." <u>Biochem. Biophys. Res.</u> ommun. 129(3):934-942 (1985).
	b	APPI et al., "Characterization of a saporin mitotoxin specifically cytotoxic to cells earing the granulocyte-macrophage colony-stimulating factor." <u>Growth Factors</u> (1):31-39 (1993).
		APPI et al., "Reducing the heterogenecity of chemically conjugated targeted toxins: omogeneous basic FGF-saporin," <u>Analytical Biochemistry</u> , 212(2):446-451 (1993).
		ITTLEWOOD, et al., "The types of neuron in spinal dorsal horn which possess eurokinin-1 receptors," Neuroscience 66:597-608 (1995).
	lig	U et al,. "Synaptic relationship between substance P and the substance P receptor: ght and electron microscopic characterization of the mismatch between neuropeptides and their receptors," Proc. Natl. Acad. Sci. USA 91:1009-1013 (1994).
	a	UO and WISENFELD-HALLIM, "The effects of pretreatment with tachykinin ntagonists and galanin on the development of spinal cord hyperexcitability following ciatic nerve section in the rat," <a href="Neuropeptides">Neuropeptides</a> 28:161-166 (1995).
	Of	A et al., "Involvement of neurokinin receptors in the induction but not the maintenance f mechanical allodynia in rat flexor motoneurones," <u>J. Physiol. (London)</u> 486:769-777 1995).
		ALMBERG et al., "Hyperalgesia mediated by spinal glutamate or substance P eceptor blocked by spinal cyclooxygenase inhibition," <u>Science</u> 257:1276-1279 (1992).
	i n	IANTYH et al., "Beta 2-adrenergic receptors are expressed by glia in vivo in the ormal and injured central nervous system in the rat, rabbit, and human," <u>J. Neurosci.</u> 5:152-164 (1995).

EXAMINER	DATE CONSIDERED

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

EFS-Web Receipt date: 10/31/2007

10813856 - GAU: 1631

SHEET <u>4</u> OF <u>5</u>

i	CITA	TION DISCLOSURE ATION IN AN PLICATION	ATTY. DOCKET NO. 066785-0017	SERIAL NO. 10/813,856	
			APPLICANT  Douglas A. Lappi et al.		
	(F	PTO-1449)	FILING DATE March 30, 2004	GROUP 1631	
	39.	MANTYH et al., "Some sensory ne paracrine inhibition of primary affe Neurosci. 14:3958-3968 (1994).			
	40.	MANTYH, et al., "Receptor endocy somatosensory stimulation," Scien	nce 268-1629-1632 (1995).	·	
	41.	MARSHALL et al., "Neurokinin-1 r Neuroscience 72:255-263 (1996).	·		
	42.	MCCARSON and KRAUSE, "The formalin-induced expression of tachkinin peptide and neurokinin receptor message RNAs in rat sensory ganglia and spinal cord is mediated by opiate preadministration," Neuroscience 64:729-739 (1995).			
	43.	MUNRO et al., "The effects of neurokinin receptor antagonists on mustard oil-evoked activation of rat dorsal horn neurons," Neuropeptides 25:299-305 (1993).			
	44.	NAGY et al., "NK1 and NK2 receptors contribute to C-fibre evoked slow potentials in the spinal cord," NeuroReport 5:2105-2108 (1994).			
	45.	NAGY et al., "The role of neurokinin and N-methyl-D-aspartate receptors in synaptic transmission from capsaicin-sensitive primary afferents in the rat spinal cord in vitro," Neuroscience 52:1029-1037 (1993).			
000000000000000000000000000000000000000	46.	NAKAYA et al., "Immunohistochemical localization of substance P receptor in the central nervous system of the adult rat," J. Comp. Neurol. 347:249-274.			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	47.	NEUGEBAUER et al., "Involvement of substance P receptors in the hyperexcitability of dorsal horn neurons during the development of acute arthritis in rat's knee joint," <u>J. Neurophysiol.</u> 73:1574-1583 (1995).			
	48.	NEUGEBAUER et al., "The involvement of substance P and neurokinin-1 receptors in the responses of rat dorsal horn neurons to noxious but not to innocuous mechanical stimuli applied to the knee joint," <u>Brain Res.</u> 666:207-215 (1994).			
	49.	NICHOLS, et al., "Transmission of chronic nociception by spinal neurons expressing the substance P receptor," <u>Science</u> 286:1558-1561 (1999).			
	50	PICARD et al., "Cardiovascular an	d behavioural effects of centra	lly administered tachy	000000000000000000000000000000000000000
	51.	QUARTU et al., "Calcitonin gene-related peptide in the human trigeminal sensory system at developmental and adult life stages: immunohistochemistry, neuronal morphometry and coexistence with substance P," <u>J. Chem. Neuroanat.</u> 5:143-157 (1992).			
	52.	SALTER et al., "Responses of funcat spinal cord to substance P, ne 610 (1991).	urokinin A and physalaemin," <u>h</u>	Neuroscience 43:601-	
	53.	SANN et al., "Reduction of substance P bindling sites in the spinal dorsal horn after perineural capsaicin treatment in the rat," Neurosci Lett. 190:151-154 (1995).			

EXAMINER	DATE CONSIDERED

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.

EFS-Web Receipt date: 10/31/2007

10813856 - GAU: 1631

SHEET <u>5</u> OF <u>5</u>

INFORMATION DISCLOSURE CITATION IN AN APPLICATION	ATTY. DOCKET NO. <b>066785-0017</b>	SERIAL NO. 10/813,856
	APPLICANT Douglas A. Lappi et al.	
(PTO-1449)	FILING DATE March 30, 2004	GROUP 1631

F 4	LOCULAIDI E et el "Deleger d'incompany de la company de la	. 1
54.	SCHAIBLE et al., "Release of immunoreactive substance P in the spinal cord during development of acute arthritis in the knee joint of the cat: a study with antibody microprobes," <a href="mailto:Brain Research">Brain Research</a> 529:214-223 (1990).	
55.	SIMONE et al., "Neural mechanisms of hyperalgesia," <u>Curr. Opin. Neurobiol.</u> 2:479-483 (1992).	
56.	SIMONE et al., "Neurogenic hyperalgesia: central neural correlates in responses of spinothalmic tract neurons," <u>J. Neurophysiol.</u> 66:228-246 (1991).	
57.	SMITH et al., "Non-specific effects of the tachykinin NK1 receptor antagonist, CP-99, 994, in antinociceptive tests in rat, mouse and gerbil," <u>Eur. J. Pharmacol.</u> 271:481-487 (1994).	
58.	STIRPE et al., "Ribosome-inactivating proteins from plants: present status and future prospects," Bio/Technology 10:405-412 (1992).	
59.	STIRPE et al., "Ribosome-inactivating proteins from the seeds of Saponario officinalis L. (soapwort) of <i>Agrostemma githago</i> L. (corn cockle) and of <i>Asparagus officinalis</i> (asparagus) and from the latex of <i>Hura crepitans</i> L. (sandbox tree)." <u>Biochem J.</u> 216:617-625 (1983).	
60.	TADANO et al., "Immunohistochemical determination of rat spinal cord substance P, and antinociceptive effect during development of thiamine deficiency," <u>Brain Res.</u> 696:21-29 (1995).	
61.	TRAUB et al., "The spinal contribution of substance P to the generation and maintenance of inflammatory hyperalgesia in the rat," Pain 67:151-161 (1996).	
62.	VIGNA et al., "Characterization of antibodies to the rat substance P (NK-1) receptor and to a chimeric substance P receptor expressed in mammalian cells," <u>J. Neurosci.</u> 14:834-845 (1994).	
63.	YAMAMOTO et al., "Effects of FK224, a novel cyclopeptide NK1 and NK2 antagonist, and CP-96, 345, a nonpeptide NK1 antagonist, on development and maintenance of thermal hyperesthesia evoked by carrageenan injection in the rat paw," Anesthesiology 79:1042-1050 (1993).	
64.	YASHPAL et al., "Noxious peripheral stimulation produced antinociception mediated via substance P and opiod mechanisms in the rat tail-flick test," <u>Brain Res.</u> 674:97-103 (1995).	
65.	YASHPAL et al., "Noxious stimulation decreases substance P binding in rat spinal dorsal horn: competition by endogenous ligand?" NeuroReport 5:2101-2104 (1995).	

chael Borin/	DATE CONSIDERED 02/06/2008

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup> Applicant's unique citation designation number (optional). 2 Applicant is to place a check mark here if English language Translation is attached.